


CEILING TILES PRODUCTION LINE CONFIGURATION

- ✓ Highest output
- ✓ Produce in accordance with the TAIM standard
- ✓ Process steel and aluminum in one flow
- ✓ Flexible for new product types

Flexible production lines; that is the strength of WEMO. With our basic line and modular options, we offer you effortless applications for Steel Doors with different sheet thicknesses (up to 1.2 mm). With the high output (up to 2 complete doors per minute) we guarantee the lowest costs per product.

CEILING TILES PRODUCTION LINE CONFIGURATIONS

A: Basic configuration




TECHNICAL SPECIFICATIONS

Production speed	10 – 17 sec / prod
Width	240 – 1250 mm
Length	475 – 3700 mm
Type of material	Steel and Aluminum
Material thicknesses	0.5 – 1 mm

KEY BENEFITS

- ✓ Highest output
- ✓ Produce in accordance with the TAIM standard
- ✓ Process steel and aluminum in one flow
- ✓ Flexible for new product types

BENDING FORM EXAMPLES



WEMOCARE

WEMO has a lot of knowledge and experience at its disposal. We would like to share that knowledge and experience with you. Then we speak the same language, look together at all innovative possibilities and as partners we will set ever higher standards. Our motivation is crisp and clear: that is how we want to do business together.



PREVENTIVE MAINTENANCE

A long service life with as few breakdowns as possible.



INSPECTION

A carefully conducted machine inspection gives an exact picture of the condition of your machine.



UPGRADE & CONVERSION

Smart upgrade and conversion packages with which you can optimise your machine.



WARRANTY EXTENSION

In order to optimise this warranty, we offer you a supplementary warranty extension.



SPARE PARTS

Fast and expert delivery of our high quality machine parts.



TRAINING & EDUCATION

Effective training for new employees will significantly increase the output and life of your machine.

Trusted by the best brands in the world

haag 

WEMO
your industry. our benchmark

WEMO Nederland B.V.
Larenweg 38
5234 KA 's-Hertogenbosch

Postbus 3391
5203 DJ 's-Hertogenbosch
The Netherlands

Tel: +31 73 6407640
Fax: +31 73 6430116
E-mail: info@wemo.nl

www.wemomachines.com